INDEX TO AUTHORS

A

AMY, ROBERT L. See STORB, AMY, WERTZ, FAUCONNIER, and BESSIS, 11

ANDERSON, EVERETT, and HARVEY, WILLIAM R. Active transport by the Cecropia midgut. II. Fine structure of the midgut epithelium, 107

ASHWORTH, C. T., LEONARD, J. S., EIGENBRODT, E. H., and WRIGHTSMAN, F. J. Hepatic intracellular osmiophilic droplets. Effect of lipid solvents during tissue preparation, 301

ATTARDI, GIUSEPPE. See HUBERMAN and ATTARDI, 95

B

BARLAND, PETER. See HAYS and BARLAND, 209

BARR, H. J., and PLAUT, W. Comparative morphology of nucleolar DNA in *Drosophila*, C17

BASSOT, J. M. Une forme microtubulaire et paracrystalline de reticulum endoplasmique dans les photocytes des *Annelides polynoinae*, 135

BEHRENS, KATHRYN. See RUSCH, SACHSENMAIER, BEHRENS, and GRUTER, 204

BESSIS, MARCEL. See STORB, AMY, WERTZ, FAUCONNIER, and BESSIS, 11

BLANCHETTE, E. JOAN. Ovarian steroid cells. I. Differentiation of the lutein cell from the granulosa follicle cell during the pre-ovulatory stage and under the influence of exogenous gonadotrophins, 501

—. II. The lutein cell, 517

BLUM, J. J. See RAFF and BLUM, 445

BRZIN, MIRO, TENNYSON, VIRGINIA M., and DUFFY, PHILIP E. Acetylcholinesterase in frog sympathetic and dorsal root ganglia. A study by electron microscope cytochemistry and microgasometric analysis with the magnetic diver, 215

C

CAPLAN, ARNOLD I., and GREENAWALT, JOHN W. Biochemical and ultrastructural properties of osmotically lysed rat-liver mitochondria, 455

COGGESHALL, R. E., KANDEL, E. R., KUPFERMANN, I., and WAZIRI, R. A morphological and functional study on a cluster of identifiable neurosecretory cells in the abdominal ganglion of *Aplysia californica*, 363

COHEN, ALAN S. See LUCKENBILL and COHEN, 195

COMBS, J. W. Maturation of rat mast cells. An electron microscope study, 563

CRONSHAW, J., HOEFERT L., and ESAU, K. Ultrastructural features of *Beta* leaves infected with beet yellows virus, 429

CUMMINS, J. E., and RUSCH, H. P. Limited DNA synthesis in the absence of protein synthesis in *Physarum polycephalum*, 577

D

DALLNER, GUSTAV, and NILSSON, ROBERT. Mechanism of the cation effect in subfractionation of microsomes, 181

DE HARVEN, ETIENNE. See MILLER, DE HARVEN, and PALADE, 349

DINGLE, ALLAN D., and FULTON, CHANDLER. Development of the flagellar apparatus of *Naegleria*, 43

DUFFY, PHILIP E. See BRZIN, TENNYSON, and DUFFY, 215

E

EASTWOOD, JULIE MICOU. See GOLDSTEIN and EASTWOOD, 195

EIGENBRODT, E. H. See ASHWORTH, LEONARD, EIGENBRODT, and WRIGHTSMAN, 301

ENGEL, A. G., and TICE, LOIS W. Cytochemistry of phosphatases of the sarcoplasmic reticulum. I. Biochemical studies, 473

—. See TICE and ENGEL, 489

ERICSSON, JAN L. E. See ORRENIUS and ERICSSON, 243

ESAU, K. See CRONSHAW, HOEFERT, and ESAU, 429

F

FARQUHAR, MARILYN G. See SMITH and FARQUHAR, 319

FAUCONNIER, BERNARD. See STORB, AMY, WERTZ, FAUCONNIER, and BESSIS, 11

FELDHERR, CARL M. Nucleocytoplasmic exchanges during cell division, 199

FRANKE, WERNER W. Isolated nuclear membranes, 619

FULTON, CHANDLER. See DINGLE and FULTON, 43

G

GALL, JOSEPH G. Microtubule fine structure, 639

GOLDSTEIN, LESTER, and EASTWOOD, JULIE MICOU. On the primary site of nuclear RNA synthesis. A retraction, 195

GRASSO, JOSEPH A., and WOODARD, JOHN W. The relationship between RNA synthesis and hemoglobin synthesis in amphibian erythropoiesis. Cytochemical evidence, 279

GREENAWALT, JOHN W. See CAPLAN and GREENAWALT, 455

GRUTER, VERA. See RUSCH, SASCHSENMAIER, BEHRENS, and GRUTER, 204

H

HAMA, KIYOSHI. The fine structure of the Schwann cell sheath of the nerve fiber in the shrimp (*Penaeus japonicus*), 624

HARVEY, WILLIAM R. See ANDERSON and HARVEY, 107
HAY, ELIZABETH D. See TRELSTAD, REVEL, and HAY, C6
HAYS, RICHARD M., and BARLAND, PETER. The isolation of the membrane of the toad bladder epithelial cell, 209
HENEEN, WAHEEB K., and NICHOLS, WARREN W. Persistence of nucleoli in short term and long term cell cultures and in direct bone marrow preparation in mammalian materials, 543
HEWITT, GODFREY M. See WOLFE and HEWITT, 31
HIRANO, ASAO, ZIMMERMAN, H. M., and LEVINE, SEYMOUR. Myelin in the central nervous system as observed in experimentally induced edema in the rat, 397
HOEFERT, L. See CRONSHAW, HOEFERT, and ESAU, 429
HOENIGER, JUDITH F. M., VAN ITERSON, WOUTERA, and NIJMAN VAN ZANTEN, EVA. Basal bodies of bacterial flagella in *Proteus mirabilis*. II. Electron microscopy of negatively stained material, 603
—. See VAN ITERSON, HOENIGER, and NIJMAN VAN ZANTEN, 585
HUBERMAN, JOEL A., and ATTARDI, GIUSEPPE. Isolation of metaphase chromosomes from HeLa cells, 95

I

VAN ITERSON, WOUTERA, HOENIGER, JUDITH F. M., and NIJMAN VAN ZANTEN, EVA. Basal bodies of bacterial flagella in *Proteus mirabilis*. I. Electron microscopy of sectioned material, 585
—. See HOENIGER, VAN ITERSON, and NIJMAN VAN ZANTEN, 603

J

JAMUAR, MAHENDRA P. Studies of spermiogenesis in a nematode, *Nippostrongylus brasiliensis*, 381
JERSILD, RALPH A., JR. A radioautographic study of glyceride synthesis in vivo during intestinal absorption of fats and labeled glucose, 413

K

KANDEL, E. R. See COGGESHALL, KANDEL, KUPFERMANN, and WAZIRI, 363
KAYE, JEROME S., and MCMASTER-KAYE, RACHEL. The fine structure and chemical composition of nuclei during spermiogenesis in the house cricket. I. Initial stages of differentiation and the loss of nonhistone protein, 159
KLEINFELD, RUTH G., and SISKEN, JESSE E. Morphological and kinetic aspects of mitotic arrest by and recovery from Colcemid, 369
KUPFERMANN, I. See COGGESHALL, KANDEL, KUPFERMANN, and WAZIRI, 363

L

LEONARD, J. S. See ASHWORTH, LEONARD, EIGENBRODT, and WRIGHTSMAN, 301
LEVINE, SEYMOUR. See HIRANO, ZIMMERMAN, and LEVINE, 397
LUCKENBILL, LOUISE M., and COHEN, ALAN S. The association of lipid droplets with cytoplasmic filaments in avian subsynovial adipose cells, 195

M

MACKENZIE, T. B., STONE, G. E., and PRESCOTT, DAVID M. The durations of G_1, S, and G_2 at different temperatures in *Tetrahymena pyriformis* HSM, 633
MCMASTER-KAYE, RACHEL. See KAYE and MCMASTER-KAYE, 159
MILLER, FRITZ, DE HARVEN, ETIENNE, and PALADE, GEORGE E. The structure of eosinophil leukocyte granules in rodents and in man, 349

N

NICHOLS, WARREN W. See HENEEN and NICHOLS, 543
NIJMAN VAN ZANTEN, EVA. See HOENIGER, VAN ITERSON, and NIJMAN VAN ZANTEN, 603
—. See VAN ITERSON, HOENIGER, and NIJMAN VAN ZANTEN, 585
NILSSON, ROBERT. See DALLNER and NILSSON, 181

O

ORRENIUS, STEN, and ERICSSON, JAN L. E. On the relationship of liver glucose-6-phosphatase to the proliferation of endoplasmic reticulum in phenobarbital induction, 243

P

PALADE, GEORGE E. See MILLER, DE HARVEN, and PALADE, 349
PHILLIPS, DAVID M. Substructure of flagellar tubules, 635
PLAUT, W. See BARR and PLAUT, C17
PRESCOTT, DAVID M. The syntheses of total macronuclear protein, histone, and DNA during the cell cycle in *Euplotes eurystomus*, 1
—. See MACKENZIE, STONE, and PRESCOTT, 633
—. See SHOUP, PRESCOTT, and WYKES, 295

R

RAFF, ELIZABETH C., and BLUM, J. J. The effects of adenosine triphosphate and related compounds on some hydrodynamic properties of glycerinated cilia, 445
REVEL, JEAN-PAUL. See TRELSTAD, REVEL, and HAY, C6
RUSCH, H. P., SACHSENMAIER, W., BEHRENS, KATHRYN, and GRUTER, VERA. Synchronization of mitosis by the fusion of the plasmodia of *Physarum polycephalum*, 204
—. See CUMMINS and RUSCH, 577

S

SACHSENMAIER, W. See RUSCH, SACHSENMAIER, BEHRENS, and GRUTER, 204
SHERIDAN, JUDSON D. Electrophysiological study of special connections between cells in the early chick embryo, C1
SHOUP, G. D., PRESCOTT, DAVID M., and WYKES, J.

R. Thymidine triphosphate synthesis in *Tetrahymena*. I. Studies on thymidine kinase, 295
SISKEN, JESSE E. See KLEINFELD and SISKEN, 369
SMITH, ROBERT E., and FARQUHAR, MARILYN G. Lysosome function in the regulation of the secretory process in cells of the anterior pituitary gland, 319
SRIVASTAVA, LALIT M. On the fine structure of the cambium of *Fraxinus americana* L., 79
STEVENS, BARBARA J., and SWIFT, HEWSON. RNA transport from nucleus to cytoplasm in *Chironomus* salivary glands, 55
STONE, G. E. See MACKENZIE, STONE, and PRESCOTT, 633
STORB, RAINER, AMY, ROBERT L., WERTZ, RICHARD K., FAUCONNIER, BERNARD, and BESSIS, MARCEL. An electron microscope study of vitally stained single cells irradiated with a ruby laser microbeam, 11
SWIFT, HEWSON. See STEVENS and SWIFT, 55

T

TENNYSON, VIRGINIA M. See BRZIN, TENNYSON, and DUFFY, 215
TICE, LOIS W., and ENGEL, A. G. Cytochemistry of phosphatases of the sarcoplasmic reticulum. II. In situ localization of the Mg-dependent enzyme, 489
—. See ENGEL and TICE, 473
TRELSTAD, ROBERT L., REVEL, JEAN-PAUL, and HAY, ELIZABETH D. Tight junctions between cells in the early chick embryo, as visualized with the electron microscope, C6

V

VAUGHN, JACK C. The relationship of the "*sphère chromatophile*" to the fate of displaced histones following histone transition in rat spermiogenesis, 257

W

WAZIRI, R., See COGGESHALL, KANDEL, KUPFERMANN, and WAZIRI, 363
WERTZ, RICHARD K. See STORB, AMY, WERTZ, FAUCONNIER, and BESSIS, 11
WOLFE, STEPHEN L., and HEWITT, GODFREY M. The strandedness of meiotic chromosomes from *Oncopeltus*, 31
WOODARD, JOHN W. See GRASSO and WOODARD, 279
WRIGHTSMAN, F. J. See ASHWORTH, LEONARD, EIGENBRODT, and WRIGHTSMAN, 301
WYKES, J. R. See SHOUP, PRESCOTT, and WYKES, 295

Z

ZADUNAISKY, JOSE A. The location of sodium in the transverse tubules of skeletal muscle, C11
ZIMMERMAN, H. M. See HIRANO, ZIMMERMAN, and LEVINE, 397

INDEX TO SUBJECTS

A

Abstracts of Papers Presented at the Sixth Annual Meeting of The American Society for Cell Biology, 3A

Acetylcholinesterase, localization and chemical determination of in sympathetic and dorsal root ganglia, of frog, studied by EM, cytochemistry, and microgasometric analysis with magnetic diver, 215

Acid phosphatase activity, distribution of, in mammotrophic cells of rat anterior pituitary gland, nature and content of lytic bodies, lysosome involvement in regulation of secretory process, EM cytochemical study, 319

Adenosine triphosphatase activity (Mg-dependent), in association with isolated membranes of sarcotubular (microsomal) fraction, of rabbit psoas muscle, cytochemistry of phosphatases of sarcoplasmic reticulum, biochemical studies, 473

— triphosphatase (Mg-dependent), in situ localization of, in rabbit psoas muscle, cytochemistry of phosphatases of sarcoplasmic reticulum, EM cytochemical study, 489

— triphosphate and related compounds, effects of upon some hydrodynamic properties of glycerinated cilia, of *Tetrahymena*, biochemical study, 445

Adipose cells, association of lipid droplets with meshwork of cytoplasmic filaments in, of synovial fat pad of chicken ankle, EM study, 195

Amnion cells, of human, primary site of nuclear RNA synthesis in, (retraction of data of earlier paper), 195

Annuli and pores, of nuclear envelope membranes isolated from nuclei of root tips, of onion *Allium cepa*, analysis of, EM study, 619

B

Bacterium, *Proteus mirabilis*, basal bodies of flagella in, EM of negatively stained material, 585, 603

Balbiani rings, in salivary gland chromosomes, of fly *Chironomus thummi*, ultrastructure and cytochemistry of, RNA transport from nucleus to cytoplasm, 55

Basal bodies, of flagella in bacterium *Proteus mirabilis*, EM of negatively stained material, 585, 603

Blood, erythropoietic cells in, of *Triturus*, relationship between RNA synthesis and hemoglobin synthesis in, of splenectomized animals, cytochemical study, 279

Bone marrow, direct preparations of, and short and long term cell cultures, of mammalian materials, persistence of nucleoli in, appearance and behavior of nucleolar structures during mitosis, light microscope and cytochemical study, 543

C

Cambium, of ash *Fraxinus americana*, fine structure of, EM study, 79

Cation effect, in subfractionation of microsomes, of rat liver, biochemical study, 181

Cell communication, between cells in early chick embryo, electrophysiological study of special connections (tight junctions) in primitive germ layers, demonstration of electrical coupling, C1

— cultures, short- and long-term, and direct bone marrow preparations, of mammalian materials, persistence of nucleoli in, appearance and behavior of nucleolar structures during mitosis, light microscopic and cytochemical study, 543

— cycle, of *Tetrahymena pyriformis*, measurement of macronuclear labeling through, durations of G_1, S, and G_2 at different temperatures, radioautographic study, 633

— division, nucleocytoplasmic exchanges during, in ameba, EM study using colloidal gold particles, 199

— junctions (tight), between cells in early chick embryo, fine structure of contact specializations in primitive germ layers, as visualized by EM, C6

—, lutein, of rabbit ovary, differentiation of from granulosa follicle cell during preovulatory stage and under influence of exogenous gonadotrophins, EM study, 501

—, lutein, of rabbit ovary, structural variations of from differentiation to degeneration, EM study, 517

— membranes, of epithelium of toad urinary bladder, isolation of, determination of nucleoside phosphatase activities of homogenates and membranes, EM and biochemical study, 209

Cells, adipose, in synovial fat pad of chicken ankle, association of lipid droplets with meshwork of cytoplasmic filaments in, EM study, 195

—, amnion, human, primary site of nuclear RNA synthesis in, (retraction of data of earlier paper), 195

—, cultured, EM study of vitally stained single cells after irradiation with ruby laser microbeam, 11

—, HeLa, isolation of metaphase chromosomes and determination of their chemical composition, microscopic and biochemical study, 95

—, mast, of rat, maturation of, EM study of differentiation of, ultrastructural correlates to chemical differentiation, with special reference to granule formation, 563

—, neurosecretory, identifiable cluster of, in abdominal ganglion of mollusc *Aplysia*, morphological and electrophysiological study, 363

Cellular alterations in vitally stained single cells after irradiation with ruby laser microbeam, EM study, 11

Cerebral white matter, of rat, myelin sheath and myelin-forming cell and their relationship to axon in central nervous system, as observed in experimentally induced cerebral edema, EM study, 397
Chick embryo, early, electrophysiological study of special connections (tight junctions) between cells in primitive germ layers in, demonstration of electrical coupling, C1
– embryo, early, tight junctions between cells in, fine structure of contact specializations in primitive germ layers, as visualized by EM, C6
Chicken, synovial fat pad of ankle, association of lipid droplets with meshwork of cytoplasmic filaments in adipose cells of, EM study, 195
Chromosomes, meiotic, strandedness of, in milkweed bug *Oncopeltus fasciatus*, EM study, 31
–, metaphase, of HeLa cells, isolation of and determination of chemical composition of, microscopic and biochemical study, 95
–, of salivary gland, of fly *Chironomus thummi*, RNA transport from nucleus to cytoplasm, ultrastructure and cytochemistry of Balbiani rings in, 55
Cilia, glycerinated, of *Tetrahymena*, effects of adenosine triphosphate and related compounds upon some hydrodynamic properties of, biochemical study, 445
Colcemid, mitotic arrest by and recovery from, in in vivo regenerating rat liver cells and in vitro HeLa cell cultures, morphological and kinetic aspects, time-lapse cinemicrographic study, 369
Cytoplasmic regulation of mitosis, in mold *Physarum polycephalum*, synchronization of mitosis by fusion of plasmodia from different periods of mitotic cycle, studied by phase-contrast microscopy, 204

D

DNA, nucleolar, comparative morphology of, in *Drosophila* sp., studied by fluorescence microscopy, C17
– synthesis, limitation of in absence of protein synthesis, in mold *Physarum polycephalum*, biochemical study, 577
– and total protein and histone, measurement of syntheses of in macronucleus of *Euplotes eurystomus* during cell cycle, radioautographic study, 1
Droplets, osmiophilic, in rat liver cells, effect of lipid solvents on during tissue preparation, radiochemical and EM study, 301

E

Electrical coupling, between cells in primitive germ layers in early chick embryo, electrophysiological study of special connections (tight junctions), C1
Elytra, of polynoid annelid worms, microtubular and paracrystalline form of endoplasmic reticulum in luminescent epithelial cells (photocytes) in, EM study, 135
Embryo, chick, electrophysiological study of special connections (tight junctions) between cells in primitive germ layers in, demonstration of electrical coupling, C1
Embryo, chick, tight junctions between cells in, fine structure of contact specializations in primitive germ layers, as visualized by EM, C6
Endoplasmic reticulum, microtubular and paracrystalline form of, in luminescent epithelial cells (photocytes) of elytra of polynoid annelid worms, EM study, 135
— reticulum, proliferation of in phenobarbital induction, relationship of to glucose-6-phosphatase, in rat liver cells, biochemical and EM cytochemical study, 243
Eosinophil leukocytes, of man and rodent, structure of specific granules in, EM study, 349
Epithelial cells (luminescent photocytes), in elytra of polynoid annelid worms, microtubular and paracrystalline form of endoplasmic reticulum in, EM study, 135
— cells, of midgut of larva of moth *Hyalophora cecropia*, active transport of ions in midgut, fine structure of, light and EM study, 107
Erythrocytes, nucleated, of *Triturus*, fibril subunits in microtubules in, EM study of negatively stained spread material, 639
Erythropoiesis, amphibian, in *Triturus*, relationship between RNA synthesis and hemoglobin synthesis in cells in blood of splenectomized animals, cytochemical study, 279

F

Fat pad, synovial, of ankle of chicken, association of lipid droplets with meshwork of cytoplasmic filaments in adipose cells of, EM study, 195
Fats, intestinal absorption of, in rat jejunum, glyceride synthesis in vivo, light and EM radioautographic study, 413
Fibril subunits, of microtubules in nucleated erythrocytes of *Triturus*, EM study of negatively stained spread material, 639
— subunits, of tubules in flagella of insect sperm, EM study, 635
Filaments, cytoplasmic, association of with lipid droplets, in adipose cells, of synovial fat pad of chicken, ankle, EM study, 195
Flagella, basal bodies of, in bacterium *Proteus mirabilis*, EM of negatively stained material, 603
—, basal bodies of, in bacterium *Proteus mirabilis*, EM of sectioned material, 585
—, of insect sperm, substructure of tubules in, demonstration of protofibril subunits, EM study, 635
Flagellar apparatus, of mold *Naegleria gruberi*, development of, EM study, 43
Fractionation of microsomes, of rat liver, mechanism of cation effect in, biochemical study, 181
Frog, *Rana pipiens*, location of sodium in transverse tubules of skeletal muscle (sartorius), EM cytochemical study, C11
—, *Rana pipiens*, sympathetic and dorsal root ganglia, localization and chemical determination of acetylcholinesterase in, studied by EM, cytochemistry, and microgasometric analysis with magnetic diver, 215

G

Ganglia, sympathetic and dorsal root, of frog, localization and chemical determination of acetyl-

cholinesterase in, studied by EM, cytochemistry, and microgasometric analysis with magnetic diver, 215
Ganglion, abdominal, of mollusc *Aplysia*, cluster of identifiable neurosecretory cells in, morphological and electrophysiological study, 363
Germ layers, primitive, in early chick embryo, electrophysiological study of special connections (tight junctions) between cells in, demonstration of electrical coupling, C1
— layers, primitive, in early chick embryo, tight junctions between cells in, fine structure of contact specializations, as visualized by EM, C6
Glucose-6-phosphatase, relationship of to proliferation of endoplasmic reticulum in phenobarbital induction, in rat liver cells, biochemical and EM cytochemical study, 243
Glyceride synthesis in vivo, during intestinal absorption of fats and labeled glucose, in rabbit jejunum, light and EM radioautographic study, 413
Gonadotrophins, exogenous, influence of on differentiation of lutein cell from granulosa follicle cell during preovulatory stage of rabbit, EM study, 501
Granule formation in mast cells, of rat, EM study of cell maturation, ultrastructural correlates to chemical differentiation, 563
Granules, in eosinophil leukocytes, of man and rodent, structure of, EM study, 349

H

HeLa cell cultures in vitro, and regenerating rat liver cells in vivo, effect of Colcemid on, morphological and kinetic aspects of mitotic arrest and recovery, time-lapse cinemicrographic study, 369
— cells, isolation of metaphase chromosomes and determination of their chemical composition, microscopic and biochemical study, 95
Hemoglobin synthesis and RNA synthesis, relationship between, in erythropoietic cells in blood of splenectomized *Triturus*, cytochemical study, 279
Histone and total protein and DNA, measurement of syntheses of in macronucleus of *Euplotes eurystomus* during cell cycle, radioautographic study, 1
— transition in spermiogenesis, relationship of "*sphère chromatophile*" to fate of displaced histones following, in rat spermatogenic cells, studied by cytochemistry, radioautography, and microspectrophotometry, 257
Hydrodynamic properties of glycerinated cilia, of *Tetrahymena*, effects of adenosine triphosphate and related compounds upon, biochemical study, 445

I

Inclusion bodies, in leaves of sugar beet *Beta vulgaris* infected with beet yellows virus, cytochemical study of, EM analysis of organization of cytoplasm and virus in cells at various stages of infection, 429
Insect, cricket *Acheta domestica*, fine structure and chemical composition of spermatid nuclei during spermiogenesis in, initial stages of differentiation, loss of nonhistone protein, cytochemical and EM study, 159
Insect, *Drosophila* sp., salivary glands, comparative morphology of nucleolar DNA, studied by fluorescence microscopy, C17
—, fly *Chironomus thummi*, RNA transport from nucleus to cytoplasm, in salivary glands, ultrastructure and cytochemistry of Balbiani rings in chromosomes, 55
—, milkweed bug, *Oncopeltus fasciatus*, strandedness of meiotic chromosomes in spermatogonia of, EM study, 31
—, moth *Hyalophora cecropia*, active transport of ions in larval midgut, fine structure of midgut epithelial cells, light and EM study, 107
— sperm, substructure of tubules in flagella of, demonstration of protofibril subunits, EM study, 635
Intestinal absorption of fats and labeled glucose, glyceride synthesis in vivo during, in rabbit jejunum, light and EM radioautographic study, 413
Ion transport, active, in midgut of larva of moth *Hyalophora cecropia*, fine structure of midgut epithelial cells, light and EM study, 107
Irradiation, with ruby laser microbeam, EM study of vitally stained single cells after, 11

J

Jejunum, of rat, glyceride synthesis in vivo during intestinal absorption of fats and labeled glucose, light and EM radioautographic study, 413
Junctions (tight) between cells in early chick embryo, electrophysiological study of special connections in primitive germ layers, demonstration of electrical coupling, C1
— (tight) between cells in early chick embryo, fine structure of contact specializations in primitive germ layers, as visualized by EM, C1

L

Laser (ruby) microbeam irradiation, EM study of vitally stained single cells after, 11
Leaves, of sugar beet *Beta vulgaris*, infected with beet yellows virus, ultrastructural features of, cytochemical and EM study, 429
Leukocytes, eosinophil, of man and rodent, structure of specific granules in, EM study, 349
Lipid droplets, association of with meshwork of cytoplasmic filaments, in adipose cells, of synovial fat pad of chicken ankle, EM study, 195
— solvents, effect of on intracellular osmiophilic droplets during tissue preparation, in rat liver cells, radiochemical and EM study, 301
Liver cells, of rat, intracellular osmiophilic droplets, effect of lipid solvents during tissue preparation, radiochemical and EM study, 301
— cells, of rat, relationship of glucose-6-phosphatase to proliferation of endoplasmic reticulum in phenobarbital induction, biochemical and EM cytochemical study, 243
—, of rat, chemical and ultrastructural properties of osmotically lysed isolated mitochondria, biochemical and EM study, 455

Liver, of rat, mechanism of cation effect in subfractionation of microsomes of, biochemical study, 181
Lutein cell, of rabbit ovary, differentiation of from granulosa follicle cell during preovulatory stage and under influence of exogenous gonadotrophins, structural variation of from differentiation to degeneration, EM studies, 501, 517
Lysosome involvement in regulation of secretory process in mammotrophic cells of rat anterior pituitary gland, nature and content of lytic bodies, distribution of acid phosphatase activity, EM cytochemical study, 319
Lytic bodies, in mammotrophic cells of rat anterior pituitary gland, nature and content of, distribution of acid phosphatase activity, lysosome involvement in regulation of secretory process, EM cytochemical study, 319

M

Macronuclear labeling, measurement of through cell cycle, in *Tetrahymena pyriformis*, durations of G_1, S, and G_2 at different temperatures, radioautographic study, 633
Macronucleus, of *Euplotes eurystomus*, measurement of syntheses of total protein and histone and DNA in during cell cycle, radioautographic study, 1
Mammalian materials, persistence of nucleoli in short and long term cell cultures and in direct bone marrow preparations of, appearance and behavior of nucleolar structures during mitosis, light microscope and cytochemical study, 543
Mammotrophic cells, of rat anterior pituitary gland, lysosome involvement in regulation of secretory process of, nature and content of lytic bodies, distribution of acid phosphatase activity, EM cytochemical study, 319
Man, amnion cells, primary site of nuclear RNA synthesis in, (retraction of data of earlier paper), 195
– and rodent, eosinophil leukocytes, structure of specific granules in, EM study, 349
Mast cells, of rat, maturation of, EM study of differentiation of, ultrastructural correlates to chemical differentiation, with special reference to granule formation, 563
Meiotic chromosomes, strandedness of, in milkweed bug *Oncopeltus fasciatus*, EM study, 31
Membrane-enzyme relationship, in phenobarbital induction, relation of glucose-6-phosphatase to proliferation of endoplasmic reticulum, in rat liver cells, biochemical and EM cytochemical study, 243
Membranes, of epithelial cells, of toad urinary bladder, isolation of, determination of nucleoside phosphatase activities of homogenates and membranes, EM and biochemical study, 209
–, of mitochondria isolated from rat liver, chemical and ultrastructural properties of osmotically lysed organelles, biochemical and EM study, 455
–, of nuclear envelope, isolated from nuclei of root tips, of onion *Allium cepa*, analysis of pores and annuli, EM study, 619
Metaphase chromosomes, of HeLa cells, isolation of and determination of chemical composition of, microscopic and biochemical study, 95
Microsomes, of rat liver, mechanism of cation effect in subfractionation of, biochemical study, 181
Microtubules, fibril subunits in, of nucleated erythrocytes of *Triturus*, EM study of negatively stained spread material, 639
Midgut, of larva of moth *Hyalophora cecropia*, active transport of ions in, fine structure of midgut epithelial cells, light and EM study, 107
Mitochondria, isolated osmotically lysed, of rat liver, chemical and ultrastructural properties of, biochemical and EM study, 455
Mitosis, appearance and behavior of nucleolar structures during, persistence of nucleoli in short and long term cell cultures and in direct bone marrow preparations, of mammalian materials, light microscope and cytochemical study, 543
–, nucleocytoplasmic exchanges during, in ameba, EM study using colloidal gold particles, 199
–, synchronization of by fusion of plasmodia obtained from different periods of mitotic cycle, in mold *Physarum polycephalum*, cytoplasmic regulation, studied by phase microscopy, 204
Mitotic arrest by and recovery from Colcemid, in in vivo regenerating rat liver cells and in vitro HeLa cell cultures, morphological and kinetic aspects of, time-lapse cinemicrographic study, 369
Mold, *Naegleria gruberi*, development of flagellar apparatus in, EM study, 43
–, *Physarum polycephalum*, limited DNA synthesis in absence of protein synthesis, biochemical study, 577
–, *Physarum polycephalum*, synchronization of mitosis by fusion of plasmodia obtained from different periods of mitotic cycle, cytoplasmic regulation, studied by phase microscopy, 204
Mollusc, sea hare *Aplysia californica*, cluster of identifiable neurosecretory cells in abdominal ganglion of, morphological and electrophysiological study, 363
Muscle, skeletal (sartorius), of frog, location of sodium in transverse tubules of, EM cytochemical study, C11
–, striated psoas, of rabbit, demonstration of Mg-dependent ATPase activity in association with isolated membranes of sarcotubular (microsomal) fraction from, cytochemistry of phosphatases of sarcoplasmic reticulum, biochemical studies, 473
–, striated psoas, of rabbit, in situ localization of Mg-dependent ATPase, cytochemistry of phosphatases of sarcoplasmic reticulum, EM cytochemical study, 489
Myelin sheath and myelin-forming cell and their relationship to axon in central nervous system, in cerebral white matter of rat, myelinogenesis in central nervous system, as observed in experimentally induced cerebral edema, EM study, 397

N

Nerve fiber, in ventral nerve cord, of shrimp *Penaeus japonicus*, fine structure of Schwann cell sheath of, EM study, 624

Nervous system, central, of rat, myelin sheath and myelin-forming cell and their relationship to axon in, of cerebral white matter, as observed in experimentally induced cerebral edema, EM study, 397
— system, of frog, localization and chemical determination of acetylcholinesterase in sympathetic and dorsal root ganglia, studied by EM, cytochemistry, and microgasometric analysis with magnetic diver, 215
Neurosecretory cells, identifiable cluster of, in abdominal ganglion of mollusc *Aplysia*, morphological and electrophysiological study, 363
Nuclear envelope membranes, isolation of from nuclei of root tips, of onion *Allium cepa*, analysis of pores and annuli, EM study, 619
— RNA synthesis, site of, in human amnion cells, (retraction of data of earlier paper), 195
Nuclei, spermatid, fine structure and chemical composition of during spermiogenesis, in cricket *Acheta domestica*, initial stages of differentiation, loss of nonhistone protein, cytochemical and EM study, 159
Nucleocytoplasmic exchanges during cell division, in ameba, EM study using colloidal gold particles, 199
Nucleolar DNA, comparative morphology of, in *Drosophila* sp., studied by fluorescence microscopy, C17
Nucleoli, persistence of, in short and long term cell cultures and in direct bone marrow preparations, of mammalian materials, appearance and behavior of nucleolar structures during mitosis, light microscope and cytochemical study, 543
Nucleoside phosphatase activities, determination of in homogenates and cell membranes of epithelium of urinary bladder of toad, isolation of cell membranes, EM and biochemical study, 209

O

Osmiophilic droplets, in rat liver cells, effect of lipid solvents on during tissue preparation, radiochemical and EM study, 301
Ovarian steroid cells, of rabbit, differentiation of lutein cell from granulosa follicle cell during preovulatory stage and under influence of exogenous gonadotrophins, EM study, 501
— steroid cells, of rabbit, structural variations of lutein cells from differentiation to degeneration, EM study, 517

P

Phenobarbital induction of synthesis of drug-metabolizing enzyme system and proliferation of endoplasmic reticulum, in rat liver cells, relationship of glucose-6-phosphatase to enhancement of formation of ER, biochemical and EM cytochemical study, 243
Phosphatases of sarcoplasmic reticulum, cytochemistry of, demonstration of Mg-dependent ATPase activity in association with isolated membranes of sarcotubular (microsomal) fraction, of rabbit psoas muscle, biochemical studies, 473
Phosphatases of sarcoplasmic reticulum, cytochemistry of, in situ localization of Mg-dependent ATPase, in rabbit psoas muscle, EM cytochemical study, 489
Photocytes (luminescent epithelial cells), in elytra of polynoid annelid worms, microtubular and paracrystalline form of endoplasmic reticulum in, EM study, 135
Pituitary gland (anterior), of rat, lysosome involvement in regulation of secretory process in mammotrophic cells of, nature and content of lytic bodies, distribution of acid phosphatase activity, EM cytochemical study, 319
Plant, ash *Fraxinus americana*, fine structure of cambium of, EM study, 79
—, onion *Allium cepa*, isolation of nuclear envelope membranes from nuclei of root tips, analysis of pores and annuli, EM study, 619
—, sugar beet *Beta vulgaris*, ultrastructural features of leaves infected with beet yellows virus, cytochemical and EM study, 429
Plasmodia, of mold *Physarum polycephalum*, synchronization of mitosis by fusion of organisms obtained from different periods of mitotic cycle, cytoplasmic regulation, studied by phase microscopy, 204
Pores and annuli, of nuclear envelope membranes isolated from nuclei of root tips, of onion *Allium cepa*, analysis of, EM study, 619
Protein, nuclear nonhistone, loss of, fine structure and chemical composition of spermatid nuclei during spermiogenesis, in cricket *Acheta domestica*, initial stages of differentiation, cytochemical and EM study, 159
— synthesis, limited DNA synthesis in absence of, in mold *Physarum polycephalum*, biochemical study, 577
— (total) and histone and DNA, measurement of syntheses of in macronucleus of *Euplotes eurystomus* during cell cycle, radioautographic study, 1
Protozoan, ameba *Chaos chaos*, nucleocytoplasmic exchanges during cell division in, EM study using colloidal gold particles, 199
—, *Euplotes eurystomus*, measurement of syntheses of total protein and histone and DNA in macronucleus during cell cycle, radioautographic study, 1
—, *Tetrahymena pyriformis*, durations of G_1, S, and G_2 at different temperatures in, measurement of macronuclear labeling through cell cycle, radioautographic study, 633
—, *Tetrahymena pyriformis*, effects of adenosine triphosphate and related compounds upon some hydrodynamic properties of glycerinated cilia of, biochemical study, 445
—, *Tetrahymena pyriformis*, thymidine triphosphate synthesis in, studies on thymidine kinase, biochemical analysis, 295

R

Rabbit, ovarian steroid cells, differentiation of lutein cell from granulosa follicle cell during preovulatory stage and under influence of exogenous gonadotrophins, EM study, 501

Rabbit, ovarian steroid cells, structural variations of lutein cell from differentiation to degeneration, EM study, 517
—, psoas muscle, demonstration of Mg-dependent ATPase activity in association with isolated membranes of sarcotubular (microsomal) fraction from, cytochemistry of phosphatases of sarcoplasmic reticulum, biochemical studies, 473
—, psoas muscle, in situ localization of Mg-dependent ATPase, cytochemistry of phosphatases of sarcoplasmic reticulum, EM cytochemical study, 489
Radioactive label, Cs^{137} and Sr^{85}, mechanism of cation effect in subfractionation of microsomes, of rat liver, biochemical study, 181
— label, glucose-6-H^3, glyceride synthesis in vivo during intestinal absorption of fats, in rat jejunum, light and EM radioautographic study, 413
— label, leucine-C^{14} and triolein-C^{14}, intracellular osmiophilic droplets, in rat liver cells, effect of lipid solvents during tissue preparation, radiochemical study, 301
— label, leucine-H^3 and cytidine-H^3, relationship between RNA synthesis and hemoglobin synthesis in erythropoietic cells in blood of splenectomized *Triturus*, cytochemical and radioautographic study, 279
— label, thymidine-H^3, lysine-C^{14}, leucine-C^{14}, C^{14}-orotic acid, deoxycytidine-H^3, C^{14}-5-bromodeoxyuridine, limited DNA synthesis in absence of protein synthesis, in mold *Physarum polycephalum*, biochemical study, 577
— label, thymidine-H^3, lysine-H^3, cytidine-H^3, relationship of "*sphère chromatophile*" to fate of displaced histones following histone transition in spermiogenesis, in rat spermatogenic cells, studied by cytochemistry, radioautography, and microspectrophotometry, 257
— label, thymidine-H^3, measurement of macronuclear labeling through cell cycle, of *Tetrahymena pyriformis*, durations of G_1, S, and G_2 at different temperatures, radioautographic study, 633
— label, thymidine-H^3, thymidine triphosphate synthesis in *Tetrahymena*, studies on thymidine kinase, biochemical analysis, 295
— label, thymidine-H^3 and tritiated amino acids, measurement of syntheses of total protein and histone and DNA in macronucleus of *Euplotes eurystomus* during cell cycle, radioautographic study, 1
Rat, anterior pituitary gland, lysosome involvement in regulation of secretory process in mammotrophic cells of, nature and content of lytic bodies, distribution of acid phosphatase activity, EM cytochemical study, 319
—, cerebral white matter, myelin sheath and myelin-forming cell and their relationship to axon in central nervous system, as observed in experimentally induced cerebral edema, EM study, 397
—, in vivo regenerating liver cells, and in vitro HeLa cell cultures, effect of Colcemid on, morphological and kinetic aspects of mitotic arrest and recovery, time-lapse cinemicrographic study, 369
Rat, jejunum, glyceride synthesis in vivo during intestinal absorption of fats and labeled glucose, light and EM radioautographic study, 413
—, liver cells, intracellular osmiophilic droplets, effect of lipid solvents during tissue preparation, radiochemical and EM study, 301
—, liver cells, relationships of glucose-6-phosphatase to proliferation of endoplasmic reticulum in phenobarbital induction, biochemical and EM cytochemical study, 243
—, liver, chemical and ultrastructural properties of osmotically lysed isolated mitochondria, biochemical and EM study, 455
—, liver, mechanism of cation effect in subfractionation of microsomes of, biochemical study, 181
—, mast cells, maturation of, EM study of differentiation of, ultrastructural correlates to chemical differentiation, with special reference to granule formation, 563
—, spermatogenic cells, relationship of "*sphère chromatophile*" to fate of displaced histones following histone transition in spermiogenesis, studied by cytochemistry, radioautography, and microspectrophotometry, 257
RNA synthesis, nuclear, site of in human amnion cells, (retraction of data of earlier paper), 195
— transport from nucleus to cytoplasm, in fly *Chironomus thummi*, ultrastructure and cytochemistry of Balbiani rings in salivary gland chromosomes, 55
Rodent and man, eosinophil leukocytes, structure of specific granules in, EM study, 349

S

Salamander, *Triturus viridescens*, fibril subunits in microtubules in nucleated erythrocytes of, EM study of negatively stained spread material, 639
—, *Triturus viridescens*, relationship between RNA synthesis and hemoglobin synthesis in erythropoietic cells in blood of splenectomized animals, cytochemical study, 279
Salivary gland chromosomes, of fly *Chironomus thummi*, RNA transport from nucleus to cytoplasm, ultrastructure and cytochemistry of Balbiani rings in, 55
— glands, of *Drosophila* sp., comparative morphology of nucleolar DNA, studied by fluorescence microscopy, C17
Sarcoplasmic reticulum, cytochemistry of phosphatases of, demonstration of Mg-dependent ATPase activity in association with isolated membranes of sarcotubular (microsomal) fraction, of rabbit psoas muscle, biochemical studies, 473
— reticulum, cytochemistry of phosphatases of, in situ localization of Mg-dependent ATPase, in rabbit psoas muscle, EM cytochemical study, 489
Scales, of polynoid annelid worms, microtubular and paracrystalline form of endoplasmic reticulum in luminescent epithelial cells (photocytes) in, EM study, 135
Schwann cell sheath of nerve fiber, in ventral nerve

cord of shrimp *Penaeus japonicus*, fine structure of, EM study, 624
Sheath, Schwann cell, of nerve fiber in ventral nerve cord, of shrimp *Penaeus japonicus*, fine structure of, EM study, 624
Shrimp, *Penaeus japonicus*, fine structure of Schwann cell sheath of nerve fiber in ventral nerve cord, EM study, 624
Sodium, location of, in transverse tubules of skeletal muscle (sartorius) of frog, EM cytochemical study, C11
Sperm, aflagellate mature, and developing spermatids of nematode *Nippostrongylus brasiliensis*, fine structure of, EM study, 381
—, of insects, substructure of tubules in flagella of, demonstration of protofibril subunits, EM study, 635
Spermatids, developing, and aflagellate mature sperm of nematode *Nippostrongylus brasiliensis*, fine structure of, EM study, 381
Spermatogenic cells, of rat, relationship of "*sphère chromatophile*" to fate of displaced histones following histone transition in spermiogenesis, studied by cytochemistry, radioautography, and microspectrophotometry, 257
Spermatogonia, of milkweed bug *Oncopeltus fasciatus*, strandedness of meiotic chromosomes of, EM study, 31
Spermiogenesis, in cricket *Acheta domestica*, fine structure and chemical composition of spermatid nuclei during, initial stages of differentiation, loss of nonhistone protein, cytochemical and EM study, 159
—, in nematode *Nippostrongylus brasiliensis*, fine structure of developing spermatids and of aflagellate mature sperm, EM study, 381
—, relationship of "*sphère chromatophile*" to fate of displaced histones following histone transition in, of rat spermatogenic cells, studied by cytochemistry, radioautography, and microspectrophotometry, 257
"*Sphère chromatophile*," relationship of to fate of displaced histones following histone transition in spermiogenesis, in spermatogenic cells of rat, studied by cytochemistry, radioautography, and microspectrophotometry, 257
Spindle, mitotic, action of Colcemid on, metaphase blockage and recovery, in in vivo regenerating rat liver cells and in vitro HeLa cell cultures, morphological and kinetic aspects, time-lapse cinemicrographic study, 369
Steroid cells, of rabbit ovary, differentiation of lutein cell from granulosa follicle cell during preovulatory stage and under influence of exogenous gonadotrophins, EM study, 501
Steroid cells, of rabbit ovary, structural variations of lutein cell from differentiation to degeneration, EM study, 517

T

T system, in skeletal muscle (sartorius) of frog, location of sodium in, EM cytochemical study, C11
Temperature, changes in, durations of G_1, S, and G_2 in response to, in *Tetrahymena pyriformis*, measurement of macronuclear labeling through cell cycle, radioautographic study, 633
Thymidine kinase, studies on, thymidine triphosphate synthesis in *Tetrahymena*, biochemical analysis, 295
— triphosphate synthesis in *Tetrahymena*, studies on thymidine kinase, biochemical analysis, 295
Toad, urinary bladder, isolation of membranes of epithelial cells in, determination of nucleoside phosphatase activities of homogenates and membranes, EM and biochemical study, 209
Transport, active, of ions in midgut of larva of moth *Hyalophora cecropia*, fine structure of midgut epithelial cells, light and EM study, 107
Transverse tubules, in skeletal muscle (sartorius) of frog, location of sodium in, EM cytochemical study, C11
Tubules, in flagella of insect sperm, substructure of, demonstration of protofibril subunits, EM study, 635

U

Urinary bladder, of toad, isolation of membranes of epithelial cells in, determination of nucleoside phosphatase activities of homogenates and membranes, EM and biochemical studies, 209

V

Virus, beet yellows, infecting leaves of sugar beet *Beta vulgaris*, ultrastructural features of, cytochemical and EM study, 429

W

Worm, nematode *Nippostrongylus brasiliensis*, spermiogenesis in, fine structure of developing spermatids and of aflagellate mature sperm, EM study, 381
Worms, annelids *Lagisca extrenuata* and *Acholöe astericola*, microtubular and paracrystalline form of endoplasmic reticulum in luminescent epithelial cells (photocytes) in elytra of, EM study, 135